Updated S 10/042,503

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
IJ	34	retent\$4 with level with indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 11:00
L3	170	(retent\$4 or severity) with level with indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 11:28
L5	20033	(retent\$4 or severity or retain\$4) adj2 (level or indicator or mark\$4 or sign\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 11:53
L6	18293	(log\$4 or track\$4 or collect\$4 or tag\$4 or retent\$4 or audict\$4) with (error\$4 or fault\$4 or problem or bug\$4 or fail\$4 or malfunction) with (application or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:26
L7	29	5 same L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:14
L9	1	7 same (compar\$4 or match\$4 or greater or equal) same minimum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:26
L10	15	(lowen-daniel\$ or hayden-clifford\$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:19
L11	545331	(compar\$4 or match\$4 or greater or equal) same minimum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:26

L12	18293	(log\$4 or track\$4 or collect\$4 or tag\$4 or retent\$4 or audict\$4) with (error\$4 or fault\$4 or problem or bug\$4 or fail\$4 or malfunction) with (application or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:27
L13	101384	(log\$4 or track\$4 or collect\$4 or tag\$4 or retent\$4 or audict\$4) with (level or degree or scale or grade) with (indicator or signal or sign)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:27
L14	13	11 and L12 and L13 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:30
L15	878	(714/15).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:02
L16	1546	(714/38).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:11
L17	623	(717/124).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/11/30 13:15
L18	1	11 and 12 and 5 and (16 or 17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:16
L19	0	11 and 13 and 5 and (16 or 17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:16

S1	4	(("5704531") or ("20020124209")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 14:30
52	2	("5704031").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:49
S3	22	error adj retention	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:03
S4	17196	(log\$4 or track\$4 or collect\$4 or tag\$4 or retent\$4 or audict\$4) with (error\$4 or fault\$4 or problem or bug\$4 or fail\$4 or malfunction) with (application or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:18
S5	32	retent\$4 with level with indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:07
S6	0	S4 same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:07
S7	1	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:07
S8	98457	(log\$4 or track\$4 or collect\$4 or tag\$4 or retent\$4 or audict\$4) with (level or degree or scale or grade) with (indicator or signal or sign)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:13

S9	1055	(log\$4 or track\$4 or collect\$4 or tag\$4) adj statement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:14
S10	19	S8 same S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:14
S11	1	S10 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:14
S12	282	S4 same S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:19
S13	0	S12 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:19
S14	17	S12 and thread\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:24
S15	27	S12 and ("714"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:25
S16	1	S12 and ("717"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:25

S17	73	S12 and (7\$/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:27
S18	42	S17 not (S14 or S15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:27
S19	7	"6571354"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:32
S20	2	("6571354").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 14:41
S21	277	(714/20.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:54
S22	18293	(log\$4 or track\$4 or collect\$4 or tag\$4 or retent\$4 or audict\$4) with (error\$4 or fault\$4 or problem or bug\$4 or fail\$4 or malfunction) with (application or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:54
S23	101384	(log\$4 or track\$4 or collect\$4 or tag\$4 or retent\$4 or audict\$4) with (level or degree or scale or grade) with (indicator or signal or sign)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:25
S24	301	S22 same S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:54

S25	29	S24 and ("714"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:54
S26	29	S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:55
S27	1	S24 and ("717"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:55
S28	77	S24 and (7\$/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:55
S29	77	S27 or S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:55



Home | Login | Logout | Access information | Alerts | Sifemap | Help

Welcome United States Patent and Trademork Office

Search Session History

Browse search ieee xplore guide support

## Wed, 30 Nov 2005, 1:34:46 PM EST

Search Query Display

Edit an existing query or compose a new query in the Search Query Display.

## Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Recent 6	Seamh Queries .	Results		
#1.	( ( retent? level indicator <in>metadata ) <and> (log? or track? or tag? or collect? <in>metadata ) )<and> ( sofware thread?<in>metadata )</in></and></in></and></in>	0		
#2.	((retent? or severity or retain? <in>metadata) <and>(log? or track? or tag? or collect?<in>metadata))<and>(software thread?<in>metadata)</in></and></in></and></in>	0		
#3.	((software thread? <in>metadata) <and>(log?or tag?or track?or collect?or audict?<in>metadata))<and>(error retention<in>metadata)</in></and></in></and></in>	0		
#4	((error? log? or fault? track? or problem log? or bug? track? or fail? collect? or malfunction log? <in>metadata) <and>(software or application<in>metadata)) <and>(retent? or severity or retain? <in>metadata)</in></and></in></and></in>	2		
#5	(dp industry <in>de)</in>	873		
#6.	(dp industry <in>de)</in>	873		
<b>#</b> 7.	((error? log? or fault? track? or problem log? or bug? track? or fail? collect? or maifunction log? <a href="maifunction">maifunction</a> log? <a href="maifunction">maifunction</a> log? <a href="maifunction">maifunction</a> log? <a href="maifunction">maifunction</a> metadata ) <a href="maifunction">maifunction</a> (retent? or severity or retain? <a href="maifunction">maifunction</a> (retain)	2		
#8	((error? log? or fault? track? or problem log? or bug? track? or fail? collect? or malfunction log? <in>metadata) <and>(software or application<in>metadata)) <and>(retent? or severity or retain? <in>metadata)</in></and></in></and></in>	2		



Help Contact Us Privacy & Security IEEE.org

© Copyright 2005 IEEE -- All Rights Reserved